RYNO® PEDESTAL TABLE

KEY FEATURES

- → Durable polyethylene one-piece construction gives excellent strength
- → Solid grey laminate insert helps ensure the top is level, ideal for outdoor use
- ightarrow Wheelchair accessible design
- ightarrow Floor fixed option to deter mishandling
- → Anti-tamper locking mechanisms
- \rightarrow Polyethylene material is 100% recyclable
- → Strength and durability tested for severe contract use, (inc. 500kg static load test)

UK Registered Design No. 6059841



MATERIAL/FABRICATION

Rotationally moulded, durable polyethylene, one-piece construction provides excellent strength and stability. Flamed, textured finish further strengthens the fireretardant, water-resistant, UV-stabilised shell. Antimicrobial material gives high chemical resistance (e.g. ammonia, sodium hydroxide) throughout the product.

The unique corkscrew design creates a very strong connection between the table top and base, secured with anti-tamper fixings. A solid-grade laminate table top provides a durable, water-resistant surface making the table suitable for indoor and outdoor use. The table is available in 2 options - a heavily weighted option (118kg) which deter lifting, and a floor fixed option which for added safety makes the table totally immovable.

TEST STANDARDS

- \rightarrow Strength and Durability (EN 15372:2016 Test level 3)
- → Fire retardant to BS 5852:2006 ignition source 5
- → UV resistance tested to UV 21+ stating it can withstand 21,000 sunlight hours
- ightarrow Compliant with flammability standards UL94 HB
- → EN 15372:2007 Test level 2 with an additional 500kg Static Load Test

OPTIONS

- → Unable to mix and match top and base, comes as 1 colour as standard
- → Heavily weighted to 118kg non-floor fixable option available (1RYPT-120)
- ightarrow Optionally made with 40% reused content

COLOR/FINISH



Pineapple

+44 (0)1622 237830

sales@pineapplecontracts.com

uk.pineapplecontracts.com

Τ

Ε

W

RYNO[®] pedestal table

DELIVERY

[core colours] leadtime 5 weeks | [non-core colours] will have longer leadtimes and additional costs

ASSEMBLY

Arrives assembled and ready to use

INSTALLATION/FITTING

Please advise if floor fixing is required when ordering as fixed items are made differently. All products must be fitted carefully following Pineapple's product instructions (where available). If not, any guarantee is at risk of becoming null and void

MAINTENANCE

Avoid using abrasive materials or cleaning agents, solvents, steam cleaning or jet washing. Use bleach and chlorine disinfectant with caution and avoid placing in close proximity to sources of heat. Read more on our website.

WARRANTY

Lifetime guarantee against all manufacturing faults

DISCLAIMER

Extreme temperature changes (e.g. a cold night followed by a warm sunny day) may cause air inside the product to expand, causing short-term changes to its shape

Due to the nature of the rotational moulding process, flat surfaces on Ryno® products may feature slight undulations which do not detract from the product's strength or durability.




+44 (0)1622 237830 sales@pineapplecontracts.com uk.pineapplecontracts.com

Pineapple

RYNO® PEDESTAL TABLE

1RYPT 760H | 1050Dia. (mm) Weight: 30kg or 118kg Seating capacity: 4





+44 (0)1622 237830 sales@pineapplecontracts.com uk.pineapplecontracts.com

