



HUSH ACOUSTIC PANELS → WALL FIXING



REQUIRED ITEMS

- Long straight edge or preferably a self leveling laser
- Spirit level
- Evo-Stik “Sticks Like” adhesive
- Applicator/caulking gun
- Tile spacer (if specified on order)



+44 (0)1622 237830



sales@pineapplecontracts.com

Pineapple

HUSH ACOUSTIC PANELS → WALL FIXING

01

Measure out the space needed to be covered (depending on number of tiles). Mark out the area and add a centreline using tape.





For a non-permanent fixing of HUSH consider using a backing panel such as plasterboard.

02

03

Prepare the adhesive by following the instructions on the tube and insert into the cartridge gun



Apply a thin bead (approx. Ø4mm) of adhesive to the back edges of the panel along the centre of the face

04



+44 (0)1622 237830



sales@pineapplecontracts.com

Pineapple

HUSH ACOUSTIC PANELS → WALL FIXING

05

Fix the panel to the wall using the centreline as a guide. Ensure the panel is firmly stuck on all four edges





Using the spacer tool if necessary, build up the desired pattern

06

07

Use a spirit or laser level to ensure the panels remain aligned



The panel's position can be adjusted for up to 15 minutes. Wipe off any excess adhesive with a cloth or white spirit.

Leave to cure for 24 hours.

08



+44 (0)1622 237830

sales@pineapplecontracts.com

Pineapple

DISCLAIMER

| | |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | <ul style="list-style-type: none">→ Please read all instructions carefully to ensure proper installation. Failure to read and follow instructions may result in inadequate product installation and void of warranty→ Pineapple shall not be held liable for any consequences caused by the improper installation of products to the installer or the end user |
| | |
| | |
| | |



+44 (0)1622 237830

sales@pineapplecontracts.com

Pineapple