



KEY FEATURES

- Heavily weighted to 123kg to deter mishandling
- Strength and stability tested for severe contract use
- Integrated drainage channel allows water run-off
- Suitable for 2 people/bariatric user
- Water-resistant, UV-stabilised material which is 100% recyclable
- Suitable for outdoor use
- Hygienic wipe-clean surface
- Lifetime guarantee against manufacturing faults



MATERIAL/FABRICATION

Rotationally moulded, durable polyethylene, one-piece construction provides excellent strength and stability. Flamed, textured finish further strengthens the fire-retardant, water-resistant, UV-stabilised shell, ideal to be used indoors and outdoors. Hygienic wipe-clean surface, quick to dry ready to be used again quickly. Sloped arms and low back designed to minimise ligature risks. Item is fully recyclable as polyethylene can be melted down to create a whole new product.

TEST STANDARDS

- Fire retardant to CAL 133 and UL 94 HB, Crib 5, DIN 66084
- Strength and Stability tested to BS EN 16139:2013 - Test level 2
- UV resistance tested to UV 21+ stating it can withstand 21,000 sunlight hours
- Antibacterial Activity MOD iso 11196:2011
- Ryno ISO 11925 (2020)

OPTIONS

- Floor fixing solution
- Anti-stash base cover plate available
- Lightweight model (35kg) - 1RY2-00
- Weighted model (123kg) - 1RY2-118
- Lime Green (LG) and Vegas Yellow (VY) colours have a minimum order quantity of 12 units

COLOUR/FINISH



DELIVERY

[core colours] leadtime 5 weeks | [non-core colours] will have longer leadtimes and additional costs causing short-term.

ASSEMBLY

Arrives assembled and ready to use

INSTALLATION/FITTING

Additional weighting can be carried out prior to delivery. Please advise if floor fixing is required when ordering as fixed items are made differently. All products must be fitted carefully following Pineapple's product instructions (where available). If not, any guarantee is at risk of becoming null and void

MAINTENANCE

Avoid using abrasive materials or cleaning agents, solvents, steam cleaning or jet washing. Use bleach and chlorine disinfectant with caution and avoid placing in close proximity to sources of heat. Read more here <https://uk.pineapplecontracts.com/upholstery/care-guidance/>

WARRANTY

Lifetime guarantee against all manufacturing faults

DISCLAIMER

Extreme temperature changes (e.g. a cold night followed by a warm sunny day) may cause air inside the product to expand, causing short-term changes to its shape .

Due to the nature of the rotational moulding process, flat surfaces on Ryno® products may feature slight undulations which do not detract from the product's strength or durability.

T

+44 (0)1622 237830



E

sales@pineapplecontracts.com

W

uk.pineapplecontracts.com

1RY2
810H | 1496W | 674D (mm)
Seat height: 435mm



T

+44 (0)1622 237830

E

sales@pineapplecontracts.com

W

uk.pineapplecontracts.com