

1RYR-65

867H | 761W | 992D (mm) Seat height: 450mm Weight: 65kg

KEY FEATURES

- → Heavily weighted to 65kg to deter misuse (other weight options available)
- → Gentle and calming rocking motion
- Sloped arms and low back designed to minimise ligature risks
- -> Hygienic wipe-clean material
- → Water-resistant, UV-stabilised material which is 100% recyclable
- Strength and stability tested for severe contract use
- → Polyethylene material is 100% recyclable











MATERIAL/FABRICATION

Rotationally moulded, durable polyethylene, one-piece construction provides excellent strength and stability. Flamed, textured finish further strengthens the fire-retardant, water-resistant, UV-stabilised shell. Hygienic wipe-clean surface, quick to dry ready to be used again quickly. Anti-microbial material gives high chemical resistance (e.g. ammonia, sodium hydroxide) throughout the product. Item is fully recyclable as polyethylene can be melted down to create a whole new product.

TEST STANDARDS

- Fire retardant to CAL 133 and UL 94 HB, Crib 5, DIN 66084
- → UV resistance tested to UV 21+ stating it can withstand 21,000 sunlight hours
- → Antibacterial Activity MOD iso 11196:2011
- → Ryno ISO 11925 (2020)

DELIVERY

[core colours] leadtime 5 weeks | [non-core colours] will have longer leadtimes and additional costs

OPTIONS

- → Not floor fixable due to the rocking motion
- → Lightweight model (21kg) 1RYR-00
- → Weighted model (65kg) 1RYR-65
- → Anti-tip stopper
- Lime Green (LG) and Vegas Yellow (VY) colours have a minimum order quantity of 12 units

COLOUR/FINISH





ASSEMBLY

Arrives assembled and ready to use

INSTALLATION/FITTING

Additional weighting can be carried out prior to delivery. All products must be fitted carefully following Pineapple's product instructions (where available). If not, any guarantee is at risk of becoming null and void

MAINTENANCE

Avoid using abrasive materials or cleaning agents, solvents, steam cleaning or jet washing. Use bleach and chlorine disinfectant with caution and avoid placing in close proximity to sources of heat. Read more here https://uk.pineapplecontracts.com/upholstery/care-guidance/

WARRANTY

Lifetime guarantee against all manufacturing faults

DISCLAIMER

Extreme temperature changes (e.g. a cold night followed by a warm sunny day) may cause air inside the product to expand, causing short-term changes to its shape.

Due to the nature of the rotational moulding process, flat surfaces on Ryno® products may feature slight undulations which do not detract from the product's strength or durability.



1RYR 867H | 761W | 992D (mm) Seat height: 450mm



