




KEY FEATURES

- Heavily weighted to 65kg to deter misuse (other weight options available)
- Gentle and calming rocking motion
- Sloped arms and low back designed to minimise ligature risks
- Hygienic wipe-clean material
- Water-resistant, UV-stabilised material which is 100% recyclable
- Strength and stability tested for severe contract use
- Polyethylene material is 100% recyclable

Please note: Drainage holes and outdoors usage is not recommended as exposure to the elements may cause surface discoloration



MATERIAL/FABRICATION

Rotationally moulded, durable polyethylene, one-piece construction provides excellent strength and stability. Flamed, textured finish further strengthens the fire-retardant, water-resistant, UV-stabilised shell. Hygienic wipe-clean surface, quick to dry ready to be used again quickly. Anti-microbial material gives high chemical resistance (e.g. ammonia, sodium hydroxide) throughout the product. Item is fully recyclable as polyethylene can be melted down to create a whole new product.

TEST STANDARDS

- Fire retardant to CAL 133 and UL 94 HB
- UV resistance tested to UV 21+ stating it can withstand 21,000 sunlight hours

ASSEMBLY

Arrives assembled and ready to use


DELIVERY

[core colours] leadtime 5 weeks | [non-core colours] will have longer leadtimes and additional costs

OPTIONS

- Not floor fixable due to the rocking motion
- Lightweight model (21kg) 1RYR-00
- Weighted model (65kg) - 1RYR-65
- Anti-tip stopper
- Optionally made with 40% reused content

COLOUR/FINISH



INSTALLATION/FITTING

Additional weighting can be carried out prior to delivery. All products must be fitted carefully following Pineapple's product instructions (where available). If not, any guarantee is at risk of becoming null and void

MAINTENANCE

Avoid using abrasive materials or cleaning agents, solvents, steam cleaning or jet washing. Use bleach and chlorine disinfectant with caution and avoid placing in close proximity to sources of heat. Read more here <https://uk.pineapplecontracts.com/upholstery/care-guidance/>

WARRANTY

Lifetime guarantee against all manufacturing faults

DISCLAIMER

Extreme temperature changes (e.g. a cold night followed by a warm sunny day) may cause air inside the product to expand, causing short-term changes to its shape .

Due to the nature of the rotational moulding process, flat surfaces on Ryno® products may feature slight undulations which do not detract from the product's strength or durability.

Please note: Drainage holes and outdoors usage is not recommended as exposure to the elements may cause surface discoloration

1RZR
867H | 761W | 992D (mm)
Seat height: 450mm

