

**FYNN**

Reduced-ligature  
task lighting



**Pineapple**



Lighting can play a key role in humanising healthcare spaces, bringing visual warmth and providing a softening effect to the built environment.

Task lighting can be used in conjunction with natural daylight and ambient lighting to provide additional brightness for specific activities like reading and writing.

Like all fixtures and fittings in mental health environments, lighting must be sensitively designed to preserve safety by minimising ligature risks, preventing tampering and reducing the likelihood of damage.

Engineered to withstand harsh treatment in challenging environments, Fynn features a strong cast aluminium construction and a durable powder coated finish. The subtly sloped design helps to reduce ligature risks, and security fixings deter tampering.

Fynn's long-lasting energy efficient LEDs reduce maintenance needs, and users have control over the light's brightness through a tactile touch-sensitive dimming function.


## DESIGNED FOR PEACE OF MIND

*Designed to minimise  
ligature risks*



*Simple touch  
dimming operation*



### Reduced ligature

The sloping shape has been carefully designed to minimise ligature risks.



### Anti-vandal

Designed to withstand harsh treatment in challenging environments, Fynn has been impact tested to IK10 and features anti-tamper fixings.



### Resistant finish

The strong cast aluminium construction has a durable powder coated finish, and is paired with a 6mm polycarbonate lens.



### Touch operated

With capacitive touch dimming, users can control the 3 brightness settings by simply touching the case.



### Illumination

Long-lasting energy efficient 5W LEDs emitting 278 lumens with a Warm White or Cool White bulb colour.



### Splash-resistant

Fynn is tested for splash resistance with an IP44 rating. When sealed with anti-pick silicone, the product becomes highly water-resistant and dustproof with a **IP66 rating**.






## FYNN TASK LIGHT



Fynn task light  
1FY230  
175H | 120W | 100D (mm)



### KEY FEATURES

- Reduced-ligature design and anti-tamper fixings to protect users from harm
- Cast aluminium case which is impact tested to IK10 to ensure durability
- User-friendly touch-operated dimming control
- Energy efficient 5w LEDs
- Splash-resistant **IP44 rating** as standard, when sealed with anti-pick silicone, the product becomes highly water-resistant and dustproof with a **IP66 rating**
- 6mm shatter-resistant polycarbonate lens

### OPTIONS


- Choose from Warm White (3000k) or Cool White (4000k) bulb colours
- Choose from Polar White, Cool Green, Dusty Blue, Teal, Moonwalk Grey and Anthracite Grey



# SPECIFICATION

SPECIFICATION			
Supply Voltage	AC100 - 265V	Impact Rating	IK10
Light fixture dimensions	175H   120W   100D (mm)	Water Resistance	IP44 / *IP66
Weight	0.73kg	Lumens	278
Beam angle	H: 94.0° ; V: 87.0°	Wattage	5W LED
Frequency	50/60HZ	Efficiency class	G
Light Colour	Warm White option 3000k Cool White option 4000k	*when sealed with anti-pick silicone, the product becomes highly water-resistant and dustproof with a IP66 rating	

COMPLIANCE STANDARDS	
CE & UKCA	EN IEC 55015: 2019+A11:2020 EN IEC 61547:2023 EN IEC 6100-3-2:2019+A1:2021 EN 61000-3-3:2013+ A1:2019+A2:2021
IP44 (Water ingress)	IEC 60529
IK08 (Impact)	EN 62262: 2002 + A1:2021
Lumin performance	IES LM-79-19
Salt spray chamber	ISO 9227:2022
RoHS	✓
Reach Annex XVII & SVHC	✓
ErP	Commission regulation (EU) 2019/2020
IEC 60598-2-2	IEC/EN ICE 62031, EN IEC 61347-2-13 with EN 61347-1, EN 61347-2-11 and EN 61347-1



# PRODUCT CODES

CODE	EXTERIOR COLOUR	BULB COLOUR	REGION
1FY230-WW-PW	Polar White	Warm White	UK/Europe
1FY230-CW-PW	Polar White	Cool white	UK/Europe
1FY230-WW-CG	Cool Green	Warm White	UK/Europe
1FY230-CW-CG	Cool Green	Cool white	UK/Europe
1FY230-WW-DB	Dusty Blue	Warm White	UK/Europe
1FY230-CW-DB	Dusty Blue	Cool white	UK/Europe
1FY230-WW-TL	Teal	Warm White	UK/Europe
1FY230-CW-TL	Teal	Cool white	UK/Europe
1FY230-WW-MG	Moonwalk Grey	Warm White	UK/Europe
1FY230-CW-MG	Moonwalk Grey	Cool white	UK/Europe
1FY230-WW-AG	Anthracite Grey	Warm White	UK/Europe
1FY230-CW-AG	Anthracite Grey	Cool white	UK/Europe

### DISPOSAL

This product must not be disposed of in household waste, but must be disposed of at a collection point for the recycling of electrical or electronic appliances. Further information can be obtained from your local authority responsible for WEEE disposal.

### GUARANTEE

This product is covered by a 5 year guarantee against manufacturing faults.



# See for yourself...

To arrange a demonstration or book a visit to our showroom, please call +44 (0)1622 237830

Pineapple, Westmead, Aylesford, Maidstone, Kent, ME20 6XJ

**T** +44 (0)1622 237830

**E** [sales@pineapplecontracts.com](mailto:sales@pineapplecontracts.com)

**W** [uk.pineapplecontracts.com](http://uk.pineapplecontracts.com)

**Pineapple**