

Unit 3 Cockerell Close
Gunnels Wood Road
Stevenage
Hertfordshire
SG1 2NB

T: +44(0) 1438 777 700
info@fira-international.com

www.fira-international.com

PINEAPPLE CONTRACTS

Westmead
Aylesford
Maidstone
Kent
ME20 6XJ

Our Ref: SE-91821-S1
Date: 31 March 2025
Delivery Date: 21 February 2025
Test Dates: 21 February - 24 March 2025

For the attention of Sophie Gibson

SAMPLE(S) SUBMITTED FOR TEST AND IDENTIFIED BY CUSTOMER AS:

One, Domus Sofa

TEST(S) AS REQUESTED BY CUSTOMER:

RESULT:

BS EN 16139: 2013 Test Level 2

Pass^

^Excluding Information for Use.

Technical report references marked * indicate this report is supplementary to the previous report with the same reference.

FIRA International is a UKAS TESTING Laboratory No. 0174

Tests marked "Not UKAS Accredited" in this Report are not included in the UKAS Accreditation Schedule for our laboratory.

Opinions and interpretations expressed herein are outside the scope of UKAS Accreditation.

This Report relates to the sample(s) submitted for test and no others. Additions, deletions or alterations are not permitted.

Test reports are given to the client in confidence and may only be reproduced in whole or in part with written permission from FIRA International Limited. Note that the words "tested by FIRA International" may be used in subsequent publicity for the product; "approved" must not be used.

Tests are carried out on the understanding that neither FIRA International Limited nor its officers can accept any legal responsibility for information or advice given or opinions expressed whether in response to specific enquiries or otherwise. This Report is given subject to the Terms of Business of FIRA International Limited which are available at www.fira.co.uk/images/FIRA-International-Limited-Standard-Terms-of-Business-2018.pdf

When a statement of conformity to a test standard is reported the test result(s) are unlikely to be the "true" result(s) due to measurement uncertainty. When the sample is tested under the criteria and conditions as defined in the method and the measured result is outside of the upper/lower acceptance limit and corrected for uncertainty at 95% probability, the risk of a false accept/reject is ≤2.5%. These results will be reported as Pass/Fail. If the test result(s) obtained under the same conditions is close to the upper/lower acceptance limit and could be either side of the accept/reject threshold these results will be reported with a conformance probability.



SE-91821-S1

FIRA International
Registered office: 3rdFloor Davidson Building
5 Southampton Street,
London, UK, WC2E 7HA
Registered in England No: 03181481

TECHNICAL REPORT

DESCRIPTION

Item: Domus Sofa
Supplied by: **PINEAPPLE CONTRACTS**
Number of Photos: Four

All dimensions are approximate.

QTY	PART NAME	MATERIAL
1	Back	19mm Wood
1	Seat Frame	13mm Wood
2	Arms	30mm Wood
1	Base	19mm Wood
1	Back Frame	30mm Wood
	Joints & Screws	Metal – Various Sizes

Number of seating positions: 2

Number of seating positions tested: 2

Weight of sample: N/A

PRECONDITIONING AND MOISTURE CONTENT

FIRA International cannot validate date of manufacture and therefore it is assumed that at least 4 weeks has elapsed between date of manufacture and delivery to FIRA International.

Unless otherwise stated on the first page of this report the sample was stored in indoor ambient conditions for at least the minimum duration as required by this standard prior to test.

Wherever possible timber moisture content is verified prior to test. Where this is not possible the moisture content is assumed to be in the range 8 – 12 %.



0174

SE-91821-S1

Page 2 of 9

firainternational
Proud to be part of element

TECHNICAL REPORT

BS EN 16139: 2013 – Furniture – Strength, Durability and Safety – Requirements for Non-Domestic Seating

The tests required were carried out in accordance with the standard. Where applicable details of the loads applied, and their positions of application are retained at FIRA International and are available on request.

Item: Domus Sofa

Initial Inspection: No apparent faults

Clause	Test	Result
4.1	General Requirements (Clause Ref: BS EN 16139: 2013)	
a	Accessible corners are rounded or chamfered;	Pass
b	The edges of the seat, back rest and arm rests which are in contact with the user when sitting in the chair are rounded or chamfered;	Pass
c	The edges of handles are rounded or chamfered in the direction of the force applied;	N/A
d	All other edges are free from burrs and rounded or chamfered;	Pass
e	The ends of hollow components are closed or capped.	Pass
	Movable and adjustable parts shall be designed so that injuries and inadvertent operation are avoided.	N/A
	It shall not be possible for any load bearing part of the seating to come loose unintentionally.	Pass
	All parts which are lubricated to assist sliding shall be designed to protect users from lubricant stains when in normal use.	N/A
4.2	Shear and Squeeze Points	
4.2.1	Shear and squeeze points when setting up and folding.	N/A
4.2.2	Shear and squeeze points under influence of powered mechanism.	N/A
4.2.3	Shear and squeeze points during use.	Pass

In extreme weather conditions the ambient test temperature and/or humidity may fall outside the requirements of the standard. Such changes have not been shown to affect the validity of the results. Details of the ambient conditions at time of test are available on request.



0174

SE-91821-S1

Page 3 of 9

firainternational
Proud to be part of element

TECHNICAL REPORT

BS EN 16139: 2013 – Furniture – Strength, Durability and Safety – Requirements for Non-Domestic Seating

The tests required were carried out in accordance with the standard. Where applicable details of the loads applied, and their positions of application are retained at FIRA International and are available on request.

Item: Domus Sofa

Initial Inspection: No apparent faults

Clause	Test	Result
4.3.3	Stability: Non-Swivel Chairs Only (Clause Ref: BS EN 1022: 2005)	
6.2	Forwards overbalancing, all seating.	Pass
6.3	Forwards overturning for seating with footrest.	N/A
6.4	Sideways overbalancing, all seating without arms.	N/A
6.5	Sideways overbalancing, all seating with arms.	Pass
6.6	Rearwards overbalancing, all seating with backs.	Pass
7.3	Tilting chairs.	N/A
7.4	Rocking chairs.	N/A
7.5	Reclining chairs with footrest.	N/A
7.7	Reclining chairs without footrest.	N/A

Clause	Test	Result
4.4	Rolling Resistance of the Unloaded Chair (Clause Ref: EN 16139: 2013)	
a	The rolling resistance is ≥ 12 N when tested according to EN 1335-3:2009, 7.4;	N/A
b	All castors are of the same type	N/A

In extreme weather conditions the ambient test temperature and/or humidity may fall outside the requirements of the standard. Such changes have not been shown to affect the validity of the results. Details of the ambient conditions at time of test are available on request.



TECHNICAL REPORT

BS EN 16139: 2013 – Furniture – Strength, Durability and Safety – Requirements for Non-Domestic Seating

The tests required were carried out in accordance with the standard. Where applicable details of the loads applied, and their positions of application are retained at FIRA International and are available on request.

Item: Domus Sofa

Initial Inspection: No apparent faults

Clause	Test	Result
4.3.2	Stability: Swivel Chairs Only (Clause Ref: BS EN 1335: 2009) *Clause Ref: 1022: 2005	
7.1.1	Front edge overbalancing.	N/A
7.1.2	Forwards overbalancing.	N/A
*6.3	Forwards overturning for seating with footrest.	N/A
7.1.4	Sideways overbalancing, all seating without arms.	N/A
7.1.5	Sideways overbalancing, all seating with arms.	N/A
7.1.6	Rearwards overturning - without back rest inclination.	N/A
7.1.7	Rearwards overturning - with back rest inclination.	N/A

Clause	Test	Result
7	Information for Use (Clause Ref: BS EN 16139: 2013)	
a	Information regarding the intended use;	Not Supplied
b	If the chair is fitted with adjusting mechanisms: instruction for operating the adjusting mechanisms.	N/A
c	Assembly instructions, where applicable.	Not Supplied
d	Instruction for care and maintenance of the chair.	Not Supplied
e	If the seating is fitted with castors: information on the choice of castors in relation to the floor surface.	N/A
f	If the seating is fitted with adjustment mechanisms comprising an energy accumulator, an additional note is required pointing out that only instructed personnel may replace and maintain adjustment mechanisms containing energy accumulators.	N/A

In extreme weather conditions the ambient test temperature and/or humidity may fall outside the requirements of the standard. Such changes have not been shown to affect the validity of the results. Details of the ambient conditions at time of test are available on request.



TECHNICAL REPORT

BS EN 16139: 2013 – Furniture – Strength, Durability and Safety – Requirements for Non-Domestic Seating

The tests required were carried out in accordance with the standard. Where applicable details of the loads applied, and their positions of application are retained at FIRA International and are available on request.

Item: Domus Sofa

Initial Inspection: No apparent faults

Clause	Test	Result
5.4	Strength and Durability (Clause Ref: BS EN 1728: 2012)	
6.4	Seat static load test.	Pass
6.4	Back static load test.	Pass
6.4	Additional seat static load test.	N/A
6.4	Additional back static load test.	N/A
6.5	Seat front edge static load test.	Pass
6.6	Vertical static load on back.	Pass
6.8 & 6.9	Foot rest and leg rest static load test.	N/A
6.10	Arm rest sideways static load test.	Pass
6.11	Arm rest downwards static load test.	Pass
6.13.1 & 6.13.2	Vertical upwards static load on arm rests.	N/A
6.17	Seat durability test (Seat position 1).	Pass
6.17	Seat durability test (Seat position 2).	Pass
6.17	Back durability test (Back position 1).	Pass
6.17	Back durability test (Back position 2).	Pass
6.17	Additional seat durability test.	N/A
6.17	Additional back durability test.	N/A

In extreme weather conditions the ambient test temperature and/or humidity may fall outside the requirements of the standard. Such changes have not been shown to affect the validity of the results. Details of the ambient conditions at time of test are available on request.



TECHNICAL REPORT

BS EN 16139: 2013 – Furniture – Strength, Durability and Safety – Requirements for Non-Domestic Seating

The tests required were carried out in accordance with the standard. Where applicable details of the loads applied, and their positions of application are retained at FIRA International and are available on request.

Item: Domus Sofa

Initial Inspection: No apparent faults

Clause	Test	Result
	(Clause Ref: BS EN 1728: 2012)	
6.18	Seat front edge durability test (ALT).	Pass
6.18	Seat front edge durability test (SLP).	Pass
6.20	Arm rest durability test.	Pass
6.21	Foot rest durability test.	N/A
6.15	Leg forwards static load test.	Pass
6.16	Leg sideways static load test.	Pass
6.24	Seat impact test.	Pass
6.25	Back impact test.	Pass
6.26	Arm impact test.	Pass
6.27.1	Drop test (Multiple seating).	Pass
6.14	Auxiliary writing surface static load test.	N/A
6.22	Auxiliary writing surface durability test.	N/A

In extreme weather conditions the ambient test temperature and/or humidity may fall outside the requirements of the standard. Such changes have not been shown to affect the validity of the results. Details of the ambient conditions at time of test are available on request.



TECHNICAL REPORT

CONCLUSION

The Domus Sofa, as previously described, successfully satisfied the applicable test requirements of BS EN 16139: 2013 Test Level 2 - Excluding Information for Use.

Tested by: J Watts, D Goodwin & L Haines

Reported by: B Southam

Approved by: L Haines



Section Head - Structural Testing



TECHNICAL REPORT



Photo 1 - Domus Sofa



Photo 2 - Domus Sofa



Photo 3 - Domus Sofa



Photo 4 - Domus Sofa

*****End of Report*****