



KEY FEATURES

- Distinctive cylindrical profile, available as a chair or armchair
- Hygienic, non-porous and easy to clean
- Strong, seamless one-piece construction
- Supportive dining-height seating with a 459mm seat height
- Water-resistant and UV stabilised material
- 100% recyclable material
- Optional 180° swivel with floor fixing for easier accessibility, added stability and can aid in sensory regulation
- Strength and stability tested for severe contract use



MATERIAL/FABRICATION

The **Ryno® Kino** seating range combines a compact, contemporary form with the robust construction required for challenging environments. Available as both a chair and armchair, its distinctive cylindrical profile provides a supportive seating solution particularly suited to dining, communal and social spaces where efficient use of space is important.

The chair and armchair are manufactured from UV stabilised, rotationally moulded, low-density polyethylene (LDPE), creating a strong, seamless and water-resistant construction that is hygienic and easy to clean. The non-porous material contains no organic matter that could provide a food source for bacteria or bedbugs, is 100% recyclable. Kino can be specified for indoor and outdoor use; however, as the standard design does not include a water run-off feature, outdoor suitability must be requested at the point of order.

With a 459mm seat height, Kino offers a familiar dining-height position that can support comfortable sit-to-stand movement. To suit different environmental and security requirements, the range can be specified weighted or floor fixed, with an optional 180° swivel available alongside floor fixing for added stability and security. The swivel base and integrated stopper use the same proven mechanism as the Mollu Tub Chair.

TEST STANDARDS

- Strength and stability tested to BS EN 16139:2013 – Level 2 (severe contract use)
- Fire retardant to BS 5852:2006 ignition source 5, CAL 133, UL 94 and DIN 66084
- Tested to ANSI/BIFMA X5.5:2012 standard
- NFPA 261 Standard Method of Test
- Antibacterial Activity MOD iso 22196:2011
- Ryno ISO 11925 (2020)
- UK Registered design numbers: 6544451, 6529380, 6544451, 6529380, 6544451, 6529380, 6544451, 6529380

COLOUR/FINISH



OPTIONS

- Hidden hard floor fixing solution
- 180° swivel and floor fixing solution
- Unweighted model - without arms (11kg) - 1RYCK-100
- Unweighted model - with arms (12kg) - 1RYCK-200
- *Weighted model - without arms (55kg) - 1RYCK-155
- *Weighted model - with arms (56kg) - 1RYCK-256
- Can be made suitable for outdoor use when specified at the point of order. The swivel option is not available for outdoor use

*Kino can be specified as either a weighted or floor-fixed model. Weighting is not available on floor-fixed products

DELIVERY

[core colours] leadtime 8 weeks | [non-core colours] will have longer leadtimes and additional costs

ASSEMBLY

Arrives assembled and ready to use

INSTALLATION/FITTING

Additional weighting can be carried out prior to delivery. All products must be installed carefully in accordance with Pineapple's product instructions (where provided). Failure to do so may void the product warranty

MAINTENANCE

Do not use abrasive materials, harsh cleaning agents, solvents, steam cleaners, or pressure washers. Bleach and chlorine-based disinfectants should be used with caution. Keep the product away from direct heat sources. For full care guidance, visit: <https://uk.pineapplecontracts.com/upholstery/care-guidance/>

WARRANTY

Lifetime guarantee against all manufacturing faults

DISCLAIMER

Extreme temperature changes (e.g. a cold night followed by a warm sunny day) may cause air inside the product to expand, causing short-term changes to its shape.

Due to the nature of the rotational moulding process, flat surfaces on Ryno® products may feature slight undulations which do not detract from the product's strength or durability.

The optional 180° swivel mechanism is available with floor fixing only. Securing the chair to the floor helps maintain stability during rotation, reducing unwanted movement and providing a safer, more secure seating solution.

Ryno Kino can be specified for outdoor use; however, as the standard design does not include a water run-off feature, outdoor suitability must be requested at the point of order. The swivel option is not available for outdoor use.

