






KEY FEATURES

- Sloping design features and the inside of the opening are carefully designed to minimise ligature risks
- Lockable and removable trolley with wheels for easy maintenance and to prevent unauthorised access
- Internal waterproof liner with 113-litre capacity
 - usable with or without paper bin liner
- Heavyweighted to 43kg as standard
- 100% waterproof surface will not rust
- UV stabilised material suitable for outdoor use
- Polyethylene material is 100% recyclable
- Recommended for supervised areas

UK Patent Pending Design No: 6535987, 6535988



MATERIAL/FABRICATION

The **Ryno® SafeWaste XL** Reduced-ligature Bin is manufactured from UV stabilised, rotationally moulded polyethylene, making it suitable for both indoor and outdoor use. Its seamless, one-piece construction provides exceptional strength, durability and stability, while the flamed, textured finish enhances the fire-retardant and water-resistant shell and creates a hygienic, easy-to-clean surface.

Designed for challenging environments, the unit is weighted to 43 kg (95 lbs) as standard and can also be floor fixed using a concealed fixing system. A reduced-ligature waste chute, lockable removable trolley with wheels, and rigid waterproof 113-litre internal liner support safe operation and easy maintenance. The liner can be used with or without a paper liner, secured by a retaining ring.

ECOLO-BAG® paper liners are recommended*, with additional trolleys and liners available separately.

The rigid internal liner reduces the risks associated with conventional liner bags, and the polyethylene construction is fully recyclable at the end of its service life.

OPTIONS

- Available to be floor fixed for additional security
- Additional trolleys and plastic liners can be ordered
- *ECOLO-BAG® paper bin liners are recommended but are not sold separately
- A smaller, more compact version is available in our Ryno SafeWaste range - 1RYQ
- A wide range of colour options, excluding OceanGreen

COLOUR / FINISH

CORE COLOURS

NON-CORE COLOURS



these colours have a minimum order quantity of 12 units

T

+44 (0)1622 237830

E

sales@pineapplecontracts.com

W

uk.pineapplecontracts.com

Pineapple

TEST STANDARDS

- Fire retardant to CAL 133 and UL 94 HB
- DIN 4102-1:1998-05 Class B2
- BS 5852:2006, Sources 0,1 and 5
- MOD ISO 22196:2011
- NFPA 261 (class 1)

DELIVERY

[core colours] leadtime 8 weeks | [non-core colours] will have longer leadtimes and additional costs.

ASSEMBLY

Arrives assembled and ready to use.

INSTALLATION/FITTING

Please advise if floor fixing is required when ordering as fixed items are made differently. All products must be fitted carefully following Pineapple's product instructions (where available). If not, any guarantee is at risk of becoming null and void.

Floor fixing is advisable for challenging environments - please specify at order stage if a floor-fixing kit is required.

MAINTENANCE

Avoid using abrasive materials or cleaning agents, solvents, steam cleaning or jet washing. Use bleach and chlorine disinfectant with caution and avoid placing in close proximity to sources of heat. Read more on our website.

WARRANTY

Lifetime guarantee against all manufacturing faults.

DISCLAIMER

Extreme temperature changes (e.g. a cold night followed by a warm sunny day) may cause air inside the product to expand, causing short-term changes to its shape.

Due to the nature of the rotational moulding process, flat surfaces on Ryno® products may feature slight undulations which do not detract from the product's strength or durability.

T

+44 (0)1622 237830

E

sales@pineapplecontracts.com

W

uk.pineapplecontracts.com


SAFEWASTE XL

1RYQX

1345H | 730W | 660D (mm)

Weight: 43kg

Capacity: 113 litres (30 US gallon)




SAFEWASTE

1RYQ

838H | 450W | 450D (mm)

Weight: 10.5kg

Capacity: 25 litres (6.6 US gallon)



A smaller, more compact version is available in our Safewaste range!

T

+44 (0)1622 237830

E

sales@pineapplecontracts.com

W

uk.pineapplecontracts.com

Pineapple